


Legend:



All-Position



Conti HSR 5 (19.5")

WIDTH (MM)	DEPTH (32nds)
200	16/32
210	16/32



HSR 3

WIDTH (MM)	DEPTH (32nds)
190	20/32
200	20/32
210	20/32
220	20/32
230	20/32
240	20/32



HSR - 18/32"

WIDTH (MM)	DEPTH (32nds)
195	18/32
215	18/32
225	18/32
235	18/32
245	18/32
260	18/32




HSR - 16/32"

WIDTH (MM)	DEPTH (32nds)
180	16/32
195	16/32



LSR1

WIDTH (MM)	DEPTH (32nds)
160	15/32
180	15/32
188	15/32
195	15/32
205	15/32



HAU 3 WT

WIDTH (MM)	DEPTH (32nds)
210	26/32
220	26/32
230	26/32
240	26/32
250	26/32
260	26/32
270	26/32
280	26/32




HSC 3

WIDTH (MM)	DEPTH (32nds)
210	24/32
220	24/32
230	24/32
240	24/32



HSC

WIDTH (MM)	DEPTH (32nds)
215	18/32
225	18/32
235	18/32



HCS

WIDTH (MM)	DEPTH (32nds)
215	32/32
225	32/32
235	32/32
245	32/32
360	32/32
380	32/32


Conti Tread™ 2024 Retread Product Lineup

Legend:




SmartWay® Verified New Tire Available

Drive Position



HDL 3 LTL-R
 

WIDTH (MM)	DEPTH (32nds)
210	22/32
220	22/32
230	22/32
240	22/32



HDL2 DL
 

WIDTH (MM)	DEPTH (32nds)
215	28/32
225	28/32
235	28/32
245	28/32



HDL - 13/32"
 

WIDTH (MM)	DEPTH (32nds)
215	13/32
225	13/32
235	13/32



HDL - 20/32"
 

WIDTH (MM)	DEPTH (32nds)
215	20/32
225	20/32
235	20/32



HDL - 26/32"
 

WIDTH (MM)	DEPTH (32nds)
215	26/32
225	26/32
235	26/32
245	26/32




HDL Eco Plus - 20/32"
 

WIDTH (MM)	DEPTH (32nds)
215	20/32
225	20/32
235	20/32
245	20/32




HDL Eco Plus - 26/32"
 

WIDTH (MM)	DEPTH (32nds)
215	26/32
225	26/32
235	26/32
245	26/32



HDL2 Eco Plus
 

WIDTH (MM)	DEPTH (32nds)
390	24/32
400	24/32




Conti HDR 5 (19.5)
 

WIDTH (MM)	DEPTH (32nds)
200	22/32
210	22/32
220	22/32



HDR2 - 22/32"
 

WIDTH (MM)	DEPTH (32nds)
185	22/32
195	22/32




HDR2 - 26/32"
 

WIDTH (MM)	DEPTH (32nds)
205	26/32
215	26/32
225	26/32
235	26/32
245	26/32




HDR1 - 16/32"
 

WIDTH (MM)	DEPTH (32nds)
160	16/32
170	16/32
180	16/32
190	16/32
200	16/32
215	16/32



HDR1 - 20/32"
 

WIDTH (MM)	DEPTH (32nds)
190	20/32
200	20/32



HDR1 - 22/32"
 

WIDTH (MM)	DEPTH (32nds)
235	22/32



HDR1 - 26/32"
 

WIDTH (MM)	DEPTH (32nds)
215	26/32
225	26/32
235	26/32
245	26/32



















Conti Tread™ 2024 Retread Product Lineup

Legend:

























SmartWay® Verified New Tire Available

Drive Position (Continued)

																																																																									
HDR1 Eco Plus  	Scandinavia HD3  	HDW2  	HDU 3 WT  	HDC 3  	HDC1 HT  																																																																				
<table border="1"> <thead> <tr><th>WIDTH (MM)</th><th>DEPTH (32nds)</th></tr> </thead> <tbody> <tr><td>215</td><td>22/32</td></tr> <tr><td>225</td><td>22/32</td></tr> <tr><td>235</td><td>22/32</td></tr> </tbody> </table>	WIDTH (MM)	DEPTH (32nds)	215	22/32	225	22/32	235	22/32	<table border="1"> <thead> <tr><th>WIDTH (MM)</th><th>DEPTH (32nds)</th></tr> </thead> <tbody> <tr><td>210</td><td>25/32</td></tr> <tr><td>220</td><td>25/32</td></tr> <tr><td>230</td><td>25/32</td></tr> <tr><td>240</td><td>25/32</td></tr> </tbody> </table>	WIDTH (MM)	DEPTH (32nds)	210	25/32	220	25/32	230	25/32	240	25/32	<table border="1"> <thead> <tr><th>WIDTH (MM)</th><th>DEPTH (32nds)</th></tr> </thead> <tbody> <tr><td>215</td><td>27/32</td></tr> <tr><td>225</td><td>27/32</td></tr> <tr><td>235</td><td>27/32</td></tr> <tr><td>245</td><td>27/32</td></tr> <tr><td>260</td><td>27/32</td></tr> </tbody> </table>	WIDTH (MM)	DEPTH (32nds)	215	27/32	225	27/32	235	27/32	245	27/32	260	27/32	<table border="1"> <thead> <tr><th>WIDTH (MM)</th><th>DEPTH (32nds)</th></tr> </thead> <tbody> <tr><td>210</td><td>32/32</td></tr> <tr><td>220</td><td>32/32</td></tr> <tr><td>230</td><td>32/32</td></tr> <tr><td>240</td><td>32/32</td></tr> <tr><td>250</td><td>32/32</td></tr> <tr><td>260</td><td>32/32</td></tr> <tr><td>270</td><td>32/32</td></tr> <tr><td>280</td><td>32/32</td></tr> </tbody> </table>	WIDTH (MM)	DEPTH (32nds)	210	32/32	220	32/32	230	32/32	240	32/32	250	32/32	260	32/32	270	32/32	280	32/32	<table border="1"> <thead> <tr><th>WIDTH (MM)</th><th>DEPTH (32nds)</th></tr> </thead> <tbody> <tr><td>210</td><td>28/32</td></tr> <tr><td>220</td><td>28/32</td></tr> <tr><td>230</td><td>28/32</td></tr> <tr><td>240</td><td>28/32</td></tr> <tr><td>250</td><td>28/32</td></tr> </tbody> </table>	WIDTH (MM)	DEPTH (32nds)	210	28/32	220	28/32	230	28/32	240	28/32	250	28/32	<table border="1"> <thead> <tr><th>WIDTH (MM)</th><th>DEPTH (32nds)</th></tr> </thead> <tbody> <tr><td>225</td><td>32/32</td></tr> <tr><td>235</td><td>32/32</td></tr> <tr><td>245</td><td>32/32</td></tr> </tbody> </table>	WIDTH (MM)	DEPTH (32nds)	225	32/32	235	32/32	245	32/32
WIDTH (MM)	DEPTH (32nds)																																																																								
215	22/32																																																																								
225	22/32																																																																								
235	22/32																																																																								
WIDTH (MM)	DEPTH (32nds)																																																																								
210	25/32																																																																								
220	25/32																																																																								
230	25/32																																																																								
240	25/32																																																																								
WIDTH (MM)	DEPTH (32nds)																																																																								
215	27/32																																																																								
225	27/32																																																																								
235	27/32																																																																								
245	27/32																																																																								
260	27/32																																																																								
WIDTH (MM)	DEPTH (32nds)																																																																								
210	32/32																																																																								
220	32/32																																																																								
230	32/32																																																																								
240	32/32																																																																								
250	32/32																																																																								
260	32/32																																																																								
270	32/32																																																																								
280	32/32																																																																								
WIDTH (MM)	DEPTH (32nds)																																																																								
210	28/32																																																																								
220	28/32																																																																								
230	28/32																																																																								
240	28/32																																																																								
250	28/32																																																																								
WIDTH (MM)	DEPTH (32nds)																																																																								
225	32/32																																																																								
235	32/32																																																																								
245	32/32																																																																								

Trailer Position

																																																						
EcoPlus HT3  	HTL  	HTL1  	Hybrid HT3  	HTR2 SA  																																																		
<table border="1"> <thead> <tr><th>WIDTH (MM)</th><th>DEPTH (32nds)</th></tr> </thead> <tbody> <tr><td>215</td><td>13/32</td></tr> <tr><td>225</td><td>13/32</td></tr> <tr><td>235</td><td>13/32</td></tr> <tr><td>245</td><td>13/32</td></tr> </tbody> </table>	WIDTH (MM)	DEPTH (32nds)	215	13/32	225	13/32	235	13/32	245	13/32	<table border="1"> <thead> <tr><th>WIDTH (MM)</th><th>DEPTH (32nds)</th></tr> </thead> <tbody> <tr><td>200</td><td>13/32</td></tr> <tr><td>210</td><td>13/32</td></tr> <tr><td>220</td><td>13/32</td></tr> <tr><td>230</td><td>13/32</td></tr> <tr><td>240</td><td>13/32</td></tr> </tbody> </table>	WIDTH (MM)	DEPTH (32nds)	200	13/32	210	13/32	220	13/32	230	13/32	240	13/32	<table border="1"> <thead> <tr><th>WIDTH (MM)</th><th>DEPTH (32nds)</th></tr> </thead> <tbody> <tr><td>390</td><td>13/32</td></tr> <tr><td>400</td><td>13/32</td></tr> </tbody> </table>	WIDTH (MM)	DEPTH (32nds)	390	13/32	400	13/32	<table border="1"> <thead> <tr><th>WIDTH (MM)</th><th>DEPTH (32nds)</th></tr> </thead> <tbody> <tr><td>200</td><td>16/32</td></tr> <tr><td>210</td><td>16/32</td></tr> <tr><td>220</td><td>16/32</td></tr> <tr><td>230</td><td>16/32</td></tr> </tbody> </table>	WIDTH (MM)	DEPTH (32nds)	200	16/32	210	16/32	220	16/32	230	16/32	<table border="1"> <thead> <tr><th>WIDTH (MM)</th><th>DEPTH (32nds)</th></tr> </thead> <tbody> <tr><td>240</td><td>16/32</td></tr> <tr><td>250</td><td>16/32</td></tr> <tr><td>260</td><td>16/32</td></tr> <tr><td>270</td><td>16/32</td></tr> <tr><td>290</td><td>16/32</td></tr> </tbody> </table>	WIDTH (MM)	DEPTH (32nds)	240	16/32	250	16/32	260	16/32	270	16/32	290	16/32
WIDTH (MM)	DEPTH (32nds)																																																					
215	13/32																																																					
225	13/32																																																					
235	13/32																																																					
245	13/32																																																					
WIDTH (MM)	DEPTH (32nds)																																																					
200	13/32																																																					
210	13/32																																																					
220	13/32																																																					
230	13/32																																																					
240	13/32																																																					
WIDTH (MM)	DEPTH (32nds)																																																					
390	13/32																																																					
400	13/32																																																					
WIDTH (MM)	DEPTH (32nds)																																																					
200	16/32																																																					
210	16/32																																																					
220	16/32																																																					
230	16/32																																																					
WIDTH (MM)	DEPTH (32nds)																																																					
240	16/32																																																					
250	16/32																																																					
260	16/32																																																					
270	16/32																																																					
290	16/32																																																					
																																																						
HTR2  	HTC1  																																																					
<table border="1"> <thead> <tr><th>WIDTH (MM)</th><th>DEPTH (32nds)</th></tr> </thead> <tbody> <tr><td>290</td><td>22/32</td></tr> <tr><td>320</td><td>22/32</td></tr> <tr><td>340</td><td>22/32</td></tr> </tbody> </table>	WIDTH (MM)	DEPTH (32nds)	290	22/32	320	22/32	340	22/32	<table border="1"> <thead> <tr><th>WIDTH (MM)</th><th>DEPTH (32nds)</th></tr> </thead> <tbody> <tr><td>320</td><td>24/32</td></tr> <tr><td>350</td><td>24/32</td></tr> <tr><td>380</td><td>23/32</td></tr> </tbody> </table>	WIDTH (MM)	DEPTH (32nds)	320	24/32	350	24/32	380	23/32																																					
WIDTH (MM)	DEPTH (32nds)																																																					
290	22/32																																																					
320	22/32																																																					
340	22/32																																																					
WIDTH (MM)	DEPTH (32nds)																																																					
320	24/32																																																					
350	24/32																																																					
380	23/32																																																					

Continental Tire the Americas, LLC
1830 MacMillan Park Drive
Fort Mill, SC 29707
Phone: 704-583-3900
www.continental-truck.com

Technical Customer Services & Warranty
3000 Continental Parkway
Clinton, MS 39056
Phone: 800-726-7113
TI_CQ_SM_help.trucktires@continental.com

INSIDE SALES / U.S.
800-450-4028 East
800-450-3187 West

Original Equipment Sales
800-776-2022

Commercial Specialty Tires
877-235-0102

 @ContiTruckTires

